

# Powerdak

## Universal

### Top of Pole Mount Solar Rack System



The **PowerDak** Universal Solar Panel Rack is made of quality powder coated heavy gauge steel and 6061 aluminum material. Each **PowerDak** solar rack is designed for easy installation with elevation angle adjustments for optimum solar efficiency. Each series is made to fit multiple solar module manufactures.

<u>Model #</u>	<u>Rack Assembly Solar</u>	<u>Pole Size</u>
601336	1 Panel Universal	2.5" SCH40 (2-7/8" OD)
601337	2 Panel Universal	3" SCH40 (3-1/2" OD)
601338	3 Panel Universal	4" SCH40 (4-1/2" OD)
601339	4 Panel Universal	4" SCH40 (4-1/2" OD)
601446	6 Panel Universal	6" SCH40 (6-5/8" OD)
601318-A	8 Panel Heavy Duty	6" SCH40 (6-5/8" OD)
601422	9 Panel Heavy Duty	6" SCH40 (6-5/8" OD)
601333	10 Panel Heavy Duty	6" SCH40 (6-5/8" OD)
601334	12 Panel Heavy Duty	8" SCH40 (8-5/8" OD)
601414	14 Panel Heavy Duty	8" SCH40 (8-5/8" OD)
601326	16 Panel Heavy Duty	8" SCH80 (8-5-8" OD)



All transactions in U.S. Dollars.

**GenPro Power Systems, Inc** Universal Top of the Pole Mount Solar Rack Systems may be purchased **only** through authorized dealers and distributors.

See solar panel manufacturing cross list below for your solar panel

Universal Solar Rack System Patent Pending

**MOUNTING POLE NOT INCLUDED.**

GENPRO POWER SYSTEMS INC  
3350 Jet Dr Rapid City, SD 57703  
www.genprocorp.com

Phone: 605.718.9960  
Fax 605.718.9998  
Email sales@genprocorp.com

The **POWERDAK** Universal solar racks are not limited to the solar panel manufacturers listed if you do not see the panel manufacturer that you are looking for please contact GenPro Power Systems at 1-605-718-9960.

Manufacturer	Model #	Length		Width	
		Inch	mm	Inch	mm
<b>Advanced Solar Photonics</b>	ASP-175	62.2	1580	31.8	808
	ASP-180	62.2	1580	31.8	808
	ASP-185	62.2	1580	31.8	808
	ASP-190	62.2	1580	31.8	808
<b>Advanced-Bioenergy</b>	Bio-150 to 195	62.2	1580	31.8	808
<b>Aide</b>	XZST-155W/24V/M	62.2	1580	31.8	808
	XZST-160W/24V/M	62.2	1580	31.8	808
	XZST-165W/24V/M	62.2	1580	31.8	808
	XZST-170W/24V/M	62.2	1580	31.8	808
	XZST-175W/24V/M	62.2	1580	31.8	808
	XZST-180W/24V/M	62.2	1580	31.8	808
	XZST-185W/24V/M	62.2	1580	31.8	808
<b>Amerisolar</b>	AS-5M-160	62.2	1580	31.8	808
	AS-5M-165	62.2	1580	31.8	808
	AS-5M-170	62.2	1580	31.8	808
	AS-5M-175	62.2	1580	31.8	808
	AS-5M-180	62.2	1580	31.8	808
	AS-5M-185	62.2	1580	31.8	808
<b>ATERSA</b>	A-150	63.7	1618	32	814
	A-160	63.7	1618	32	814
	A-170	63.7	1618	32	814
<b>Best Solar</b>	Best-155W	62.2	1580	31.8	808
	Best-160W	62.2	1580	31.8	808
	Best-165W	62.2	1580	31.8	808
	Best-175W	62.2	1580	31.8	808
	Best-180W	62.2	1580	31.8	808
<b>ERA Solar</b>	ESPSA160	62.2	1580	31.8	808
	ESPSA165	62.2	1580	31.8	808
	ESPSA170	62.2	1580	31.8	808
	ESPSA175	62.2	1580	31.8	808
	ESPSA180	62.2	1580	31.8	808
<b>ecoSolargy Inc</b>	TWES 155 to 195	62.2	1580	31.8	808

Manufacturer	Model #	Length		Width	
		Inch	mm	Inch	mm
ET	ET-M572155	62.2	1580	31.8	808
	ET-M572160	62.2	1580	31.8	808
	ET-M572165	62.2	1580	31.8	808
	ET-M572170	62.2	1580	31.8	808
	ET-M572175	62.2	1580	31.8	808
	ET-M572180	62.2	1580	31.8	808
	ET-M572185	62.2	1580	31.8	808
JA Solar	JAM5(L)-165	62.2	1580	31.8	808
	JAM5(L)-170	62.2	1580	31.8	808
	JAM5(L)-175	62.2	1580	31.8	808
	JAM5(L)-180	62.2	1580	31.8	808
	JAM5(L)-185	62.2	1580	31.8	808
	JAM5(L)-190	62.2	1580	31.8	808
	JAM5-165	62.2	1580	31.8	808
	JAM5-170	62.2	1580	31.8	808
	JAM5-175	62.2	1580	31.8	808
	JAM5-180	62.2	1580	31.8	808
	JAM5-185	62.2	1580	31.8	808
Jenton	JT155 (mono)	62.2	1580	31.8	808
	JT160 (mono)	62.2	1580	31.8	808
	JT165 (mono)	62.2	1580	31.8	808
	JT170 (mono)	62.2	1580	31.8	808
	JT175 (mono)	62.2	1580	31.8	808
	JT180 (mono)	62.2	1580	31.8	808
Jinko	SVM5672-155	62.2	1580	31.8	808
	SVM5672-160	62.2	1580	31.8	808
	SVM5672-165	62.2	1580	31.8	808
	SVM5672-170	62.2	1580	31.8	808
	SVM5672-175	62.2	1580	31.8	808
	SVM5672-180	62.2	1580	31.8	808
	SVM5672-185	62.2	1580	31.8	808
Juli_New_Energy	JLS72M160W	62.2	1580	31.8	808
	JLS72M165W	62.2	1580	31.8	808
	JLS72M175W	62.2	1580	31.8	808
	JLS72M180W	62.2	1580	31.8	808
	JLS72M185W	62.2	1580	31.8	808
	JLS72M190W	62.2	1580	31.8	808

Manufacturer	Model #	Length		Width	
		Inch	mm	Inch	mm
Mage	170/5ME	62.2	1580	31.8	808
	175/5ME	62.2	1580	31.8	808
	180/5ME	62.2	1580	31.8	808
Phono Solar	PS160M-24/F	62.2	1580	31.8	808
	PS165M-24/F	62.2	1580	31.8	808
	PS170M-24/F	62.2	1580	31.8	808
	PS175M-24/F	62.2	1580	31.8	808
	PS180M-24/F	62.2	1580	31.8	808
	PS180M-24/F	62.2	1580	31.8	808
	PS190M-24/F	62.2	1580	31.8	808
Solarfun	160-24-M165	62.2	1580	31.8	808
	160-24-M170	62.2	1580	31.8	808
	160-24-M175	62.2	1580	31.8	808
	160-24-M180	62.2	1580	31.8	808
Solarland	SLP160S-24	62.2	1580	31.8	808
	SLP160S-24H	62.2	1580	31.8	808
	SLP165S-24H	62.2	1580	31.8	808
	SLP170S-24	62.2	1580	31.8	808
	SLP170S-24H	62.2	1580	31.8	808
	SLP175S-24H	62.2	1580	31.8	808
	SLP175S-24J	62.2	1580	31.8	808
	SLP180S-24	62.2	1580	31.8	808
	SLP180S-24H	62.2	1580	31.8	808
	SLP180S-24J	62.2	1580	31.8	808
	SLP185S-24H	62.2	1580	31.8	808
	SLP185S-24J	62.2	1580	31.8	808
SunTech	STP 160S-24/Ab-1	62.2	1580	31.8	808
	STP 165-24/Ab-1	62.2	1580	31.8	808
	STP 165S-24/Ab-1	62.2	1580	31.8	808
	STP 170-24/Ab-1	62.2	1580	31.8	808
	STP 170S-24/Ab-1	62.2	1580	31.8	808
	STP 175-24/Ab-1	62.2	1580	31.8	808
	STP 180-24/Ab-1	62.2	1580	31.8	808
	STP 185-24/Ab-1	62.2	1580	31.8	808
	STP 185S-24/Adb+	62.2	1580	31.8	808
	STP 190S-24/Ad+	62.2	1580	31.8	808

Manufacturer	Model #	Length		Width	
		Inch	mm	Inch	mm
SunWize	SW170	62.2	1580	31.8	808
	SW175	62.2	1580	31.8	808
	SW180	62.2	1580	31.8	808
	SW1750 (160W)	62.2	1580	31.8	808
	SW1750 (165W)	62.2	1580	31.8	808
	SW1750 (170W)	62.2	1580	31.8	808
	SW1750 (175W)	62.2	1580	31.8	808
	SW1750 (180W)	62.2	1580	31.8	808
Topsola	TSM72-125M-165	62.2	1580	31.8	808
	TSM72-125M-170	62.2	1580	31.8	808
	TSM72-125M-175	62.2	1580	31.8	808
	TSM72-125M-180	62.2	1580	31.8	808
UE Solar	ZHM-150	62.2	1580	31.8	808
	ZHM-155	62.2	1580	31.8	808
	ZHM-160	62.2	1580	31.8	808
	ZHM-165	62.2	1580	31.8	808
	ZHM-170	62.2	1580	31.8	808
	ZHM-180	62.2	1580	31.8	808
	ZHM-185	62.2	1580	31.8	808
Webel	W1750-170	62.2	1580	31.8	808
	W1750-175	62.2	1580	31.8	808
	W1750-180	62.2	1580	31.8	808
	W1750-185	62.2	1580	31.8	808

The information on this list is based on GenPro best knowledge and experience and is believed to be reliable; but such information including product specification (without limitations) and suggestions do not constitute a guarantee, expressed or implied. GenPro reserves the right to change the list or product information sheets without prior notice.

The **POWERDAK** Universal solar racks are not limited to the solar panel manufactures list above if you do not see the panel manufacturer that you are looking for listed above please contact **GENPRO POWER SYSTEMS** at 1-605-718-9960.

Always follow all local, regional, and national regulations for electrical and building codes.



GENPRO POWER SYSTEMS INC  
3350 Jet Dr Rapid City, SD 57703  
www.genprocorp.com  
Phone: 605.718.9960  
Fax 605.718.9998  
Email sales@genprocorp.com