

PRODUCT DESCRIPTION

LED linear highbay lights are an efficient way to light large areas such as warehouses. Our line offers a 130 lumen per watt package that is DLC Premium Rated for max rebates where available, Allows for customizable solutions with a multitude of color, optic and driver options.



FEATURES

PERFORMANCE RATINGS AND CERTIFICATIONS

UL, RoHS

PERFORMANCE SUMMARY

Lumens: 52,000 (400W)

Lumens per Watt: 130

CRI-Minimum: >80

Operating Environment: -20°C to 45°C

IP Rating: IP40

KIT INFORMATION

Finish: Aluminum (painted white)

Mounting: Suspension mount (standard, cable not included), Boom bracket mount, Surface mount

Dimensions: 50" x 16.9" x 5.3"

ELECTRICAL SYSTEM CHARACTERIZATIONS

Voltage: 120 - 277VAC to 480VAC

Dimming: 0-10V (Optional)

Power Factor: >0.9

THD: <20%

WARRANTY

5 Year Standard Warranty Limited

ORDERING MATRIX

Example: ST-SL-L-600W-30-15D-MT-SGR1

Family	Product	Watts	Color Temp	Beam Angle	Voltage	Options
ST	ST-HBL-12-E					

ST	ST-HBL-12-E	400W	30 = 3000K 40 = 4000K 57 = 5700K		MT = 120-277V HV = 480V	010V = 0-10V Dimming EM277 = Emergency backup IOSPC = internal occ sensor photo cell combo
----	-------------	------	--	--	----------------------------	--

PHOTOMETRICS

